

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	88	726/25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/26 17:12
S2	1	(test\$3 with (strength weakness) with (cipher cryptographic)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 17:20
S3	10	(evaluat\$3 with (strength weakness) with (cipher cryptographic)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 17:27
S4	14	(evaluat\$3 with (strength weakness) with (key)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 18:21
S5	75	(380/1).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/05/24 18:21
S6	140	(380/2).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/05/24 18:21
S7	1	("7079648").PN.	US-PGPUB; USPAT	OR	OFF	2007/05/26 18:26
S8	1	("6397330").PN.	US-PGPUB; USPAT	OR	OFF	2007/05/26 18:27
S9	4	("6397330").URPN.	USPAT	OR	ON	2007/05/26 18:30
S10	5	("5412717" "5651068" "5740248" "5841869" "5907620").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/26 18:31
S11	4	("6397330").URPN.	USPAT	OR	ON	2007/05/26 18:35
S12	965	(717/124).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/05/26 18:35
S13	18	S12 and (cryptograph\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/26 18:36

EAST Search History

S14	54	S12 and (cryptograph\$2 encrypt\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/26 18:36
S15	2	("5689565" "6397330").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/26 18:46
S16	4	("6397330").URPN.	USPAT	OR	ON	2007/05/26 18:51
S17	116	(test\$3 verif\$7 validat\$3) near5 (cryptographic near2 (provider (module device facilit\$3 component unit card hardware)))	USPAT	OR	ON	2007/05/26 18:55
S18	2777	((717/124-127) or (717/130-135)). CCLS.	US-PGPUB; USPAT	OR	OFF	2007/05/26 18:54
S19	9	S18 and (cryptograph\$2 near2 (provider (module device facilit\$3 component unit card hardware)))	US-PGPUB; USPAT	OR	ON	2007/05/26 18:55
S20	0	("7079648").URPN.	USPAT	OR	ON	2007/05/26 18:58
S21	0	(cryptograph\$2 encryption) near3 correctness near2 detection	USPAT	OR	ON	2007/05/26 18:58
S22	12	(cryptograph\$2 encryption) near3 correctness	USPAT	OR	ON	2007/05/26 18:58
S23	19	(cryptograph\$2 encryption) near3 correctness	US-PGPUB; USPAT	OR	ON	2007/05/26 19:00
S24	321	(cryptograph\$2 encryption) and (acceptable valid proper adequate sufficient satisfactory passable tolerable) near4 (key adj (length size))	US-PGPUB; USPAT	OR	ON	2007/05/26 19:02
S25	24	(cryptograph\$2 encryption) and (acceptable valid proper adequate sufficient satisfactory passable tolerable) near4 (key adj (length size)) same (test\$3 analy\$3 check\$3 confirm\$5 prov\$3 compar\$3)	US-PGPUB; USPAT	OR	ON	2007/05/26 19:24
S26	24	(cryptograph\$2 encryption) and (acceptable valid proper adequate sufficient satisfactory passable tolerable) near4 (key adj (length size)) same (test\$3 analy\$3 check\$3 confirm\$5 prov\$3 compar\$3 identif\$3)	US-PGPUB; USPAT	OR	ON	2007/05/26 19:04

EAST Search History

S27	25	(cryptograph\$2 encryption) and (acceptable valid proper adequate sufficient satisfactory passable tolerable) near4 (key adj (length size)) same (test\$3 analy\$3 check\$3 confirm\$5 prov\$3 compar\$3 identification)	US-PGPUB; USPAT	OR	ON	2007/05/26 19:05
S28	214	(cryptograph\$2 encryption) near3 (algorithm formula) near3 identifier	US-PGPUB; USPAT	OR	ON	2007/05/26 19:07
S29	622	(cryptograph\$2 encryption) near3 (algorithm formula) near3 (parameter identifier)	US-PGPUB; USPAT	OR	ON	2007/05/26 19:07
S30	332	(cryptograph\$2 encrypt\$3).ab. and ((cryptograph\$2 encryption) near3 (algorithm formula) near3 (parameter identifier))	US-PGPUB; USPAT	OR	ON	2007/05/26 19:22
S31	9	("5115466" "5412717" "5651068" "5740248" "5778071" "5841869" "5907620" "5933503" "6389534").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/26 19:19
S32	0	("7013390").URPN.	USPAT	OR	ON	2007/05/26 19:21
S33	4	("6397330").URPN.	USPAT	OR	ON	2007/05/26 19:21
S34	7	("6389534").URPN.	USPAT	OR	ON	2007/05/26 19:21
S35	5	("5412717" "5651068" "5740248" "5841869" "5907620").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/26 19:21
S36	1	((cryptograph\$2 encryption) near3 (algorithm formula) near3 (parameter identifier)) with threshold	US-PGPUB; USPAT	OR	ON	2007/05/26 19:23
S37	1	((cryptograph\$2 encryption) near3 (algorithm formula)) with (unacceptable) with acceptable	US-PGPUB; USPAT	OR	ON	2007/05/26 19:24
S38	1	(cryptograph\$2 encryption) same (algorithm formula) with (unacceptable) with acceptable	US-PGPUB; USPAT	OR	ON	2007/05/26 19:24
S39	1	(cryptograph\$2 encryption) and (acceptable valid proper adequate sufficient satisfactory passable tolerable) near4 (seed adj (length size)) same (test\$3 analy\$3 check\$3 confirm\$5 prov\$3 compar\$3)	US-PGPUB; USPAT	OR	ON	2007/05/26 19:24
S40	1	("20050235342").PN.	US-PGPUB; USPAT	OR	OFF	2007/05/26 22:24

EAST Search History

S41	14	seed near3 (size length) same (algorithm cipher formula encryption cryptographic) same strength	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/26 22:33
S42	83	(test\$3 determin\$3 compar\$3) with seed near3 (size length) same (algorithm cipher formula encryption cryptographic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/26 22:34
S43	84	(test\$3 determin\$3 compar\$3 evaluat\$3) with seed near3 (size length) same (algorithm cipher formula encryption cryptographic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/26 22:34
S44	608	((380/1,2) or (726/25)).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/10/27 21:39
S45	85	S44 and (@pd > "20070526")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/27 22:35
S46	3	(suggest\$3 with alternative with (encrypt\$3 cryptographic))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/27 22:36
S47	44	(suggest\$3 with alternative) and (encrypt\$3 cryptographic).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/27 23:15
S48	4	("6397330").URPN.	USPAT	OR	ON	2007/10/27 22:41
S49	2	("5689565" "6397330").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/10/27 22:43
S50	78	("5689565").URPN.	USPAT	OR	ON	2007/10/27 22:44
S51	25	(alternative) near2 (encrypt\$3 cryptographic).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/27 23:18

EAST Search History

S52	0	(alternative) near2 (encrypt\$3 cryptographic) near2 (cipher operation service function) same (conformance conformity)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/27 23:23
S53	3	(alternative) near2 (encrypt\$3 cryptographic) near2 (cipher operation service function) same (conformance conformity allow\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/27 23:24
S54	0	(alternative) near2 (encrypt\$3 cryptographic) near2 (cipher operation service function) same (conformance conformity approve\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/27 23:24
S55	1	suggest near2 (alternative) near2 (cipher operation service function) same (conformance conformity approve\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/27 23:34
S56	1	("6232539").PN.	US-PGPUB; USPAT	OR	OFF	2007/10/27 23:30
S57	48	suggest near2 (alternative) near2 (cipher operation service function)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/27 23:42
S58	13	("5933144" "5974572" "6496866" "6530075" "6549944" "6634022" "6651241" "6681386" "6691301" "6701514" "6779172" "6826606" "6865691").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/10/27 23:39
S59	4	recommend\$3 near2 (alternative) near2 (cipher operation service function)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/27 23:42
S60	0	recommend\$3 near2 (other) near2 (cipher operation service function)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/27 23:42

EAST Search History

S61	2	suggest near2 (other) near2 (cipher operation service function)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/27 23:43
S62	194	offer\$3 near2 (alternative) near2 (cipher operation service function)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/27 23:43
S63	35	offer\$3 near2 (alternative) near2 (cipher operation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/27 23:45
S64	49	(recommend\$3 offer\$3 suggest\$3) near2 (second substitute) near2 (cipher operation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/27 23:48
S65	99	(recommend\$3 offer\$3 suggest\$3) near2 (another other different) near2 (cipher operation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/27 23:48
S66	506	(recommend\$3 offer\$3 suggest\$3) near2 (another other different alternative substitute) near2 (cipher operation service function) and (cryptographic encrypt\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/27 23:49
S67	129735	(recommend\$3 offer\$3 suggest\$3) near2 (another other different alternative substitute) near2 (cipher operation service function) asame (cryptographic encrypt\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/27 23:49
S68	31	(recommend\$3 offer\$3 suggest\$3) near2 (another other different alternative substitute) near2 (cipher operation service function) same (cryptographic encrypt\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/27 23:49

EAST Search History

S69	10	("4918728" "4941176" "5073934" "5200999" "5323464" "5432849" "5555309" "5651068" "5710814" "5841870").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/10/28 00:33
S70	9	("6308266").URPN.	USPAT	OR	ON	2007/10/28 00:46
S71	1	("7,079,648").PN.	US-PGPUB; USPAT	OR	OFF	2007/10/28 00:46